Index to Volume 35

Author index*

A

ALLANSMITH, MATHEA, and BUELL, DONALD N. The relationship of gamma-1A globulin and reagin in cord sera, 339

—, GOIHMAN-YAHR, MAURICIO, and BUELL, DONALD, N. Demonstration of gamma-2 globulin in human skin, 313

ALEXANDER, HARRY L. Death from asthma, reply, 87 (Corr.)

ARBESMAN, CARL E., GIRARD, PIERRE, and ROSE, NOEL R. Demonstration of human reagin in the monkey. II. In vitro passive sensitization of monkey ileum with sera of untreated atopic patients, 535

—, and REISMAN, ROBERT E. Hyposensitization therapy including repository: a double-blind study, 12

—. (*See* REISMAN, BONSTEIN, ROSE, and ARBESMAN), 227

—. (*See* ROSE et al.), 520

—. (*See* SHULMAN, LANGLOIS, and ARBESMAN), 446

ASPEGREN, NILS, and RORSMAN, HANS. Mitosis-stimulating effect of tuberculin on lymphocytes from peripheral blood, 433

AUERBACH, ROBERT, and BAER, HAROLD. Comparison of the potency of poison ivy extract with synthetic pentadecylcatechol in sensitive humans, 201

B

BAER, HAROLD. (*See* AUERBACH and BAER), 201

BARLOW, P. P. (*See* MCLEAN, BARLOW, and SHELDON), 52

BEAM, LEWIS R. (*See* CRIEP and BEAM), 425

BECKER, ROBERT J. (*See* SLAVIN et al.), 499

BENTZ, JOAN D. (*See* TERR and BENTZ), 206

BERNSTEIN, I. LEONARD, and MALKIEL, SAUL. A study of diverse humoral antibody systems following a single injection of Freund's incomplete adjuvant, 390

—. (*See* PECORA and BERNSTEIN), 479

BERNTON, HARRY S., and BROWN, HALLA. Insect allergy—preliminary studies of the cockroach, 506

BONSTEIN, HERBERT S. (*See* REISMAN, BONSTEIN, ROSE, and ARBESMAN), 227

BROWN, EARL B. Report on Anergex, reply, 87 (Corr.)

BROWN, HALLA. (*See* BERNTON and BROWN), 506

BUELL, DONALD N. (*See* ALLANSMITH and BUELL), 339

—. (*See* ALLANSMITH, GOIHMAN-YAHR, and BUELL), 313

BUKANTZ, SAMUEL C. Comments on SIEGAL, S.: The asthma-suppressive action of potassium iodide, 267

—. (*See* KIM, KO, and BUKANTZ), 159

C

CAVANAUGH, J. J. A. (*See* SALVAGGIO, CAVANAUGH, LOWELL, and LESKOWITZ), 62

CHAFEE, FRANCIS H., and SETTIPANE, GUY A. Atmospheric pollen and mold survey, 193

CLAMAN, HENRY N. Does injection therapy produce tolerance or immunity? 371 (Edit.)

COHEN, SHELDON G. American Academy of Allergy Historian's report, 177, 547

—. American Academy of Allergy. Activities of the research council, 1963-1964, 472

—, SAPP, THERESA M., RIZZO, ANGELO P., and KOSTAGE, STEPHEN T. Experimental eosinophilia. VII. Lymph node responses to altered gamma globulins, 346

COLEN, JOHN, VANARSDEL, PAUL P., JR., PASNICK, LILA J., and HORAN, J. DESMOND. Observations on the experimental reproduction of asthma with mold antigens, 331

*January—February, pp. 1-96; March—April, pp. 97-192; May—June, pp. 193-288; July—August, pp. 289-382; September—October, pp. 383-478; November—December, pp. 479-582.

CONNELL, JOHN T., and SHERMAN, W. B. Skin-sensitizing antibody. II. Relationship of hay fever symptoms to the skin-sensitizing antibody titer in patients treated with ragweed emulsion injections, aqueous ragweed injections, or no injection treatment, 18

— and —. Skin-sensitizing antibody titer. III. Relationship of skin-sensitizing antibody titer to the intracutaneous skin test, to the tolerance of injections of antigens, and to effects of prolonged treatment with antigen, 169

—. (*See* LIDD and CONNELL), 289

CRIEP, LEO H., and BEAM, LEWIS R. Allergy to trypsin, 425

D

DELORME, P.(*See* RICHTER, DELORME, and ROSE), 356

DENNIS, EVIE G., HORNBROOK, MARGARET M., and ISHIZAKA, KIMISHIGE. Serum proteins in sputum of patients with asthma, 464

—. (*See* ISHIZAKA, DENNIS, and HORNBROOK), 143

DENNIS, MACEY, and ITKIN, IRVING H. Effectiveness and complications of aerosol dexamethasone phosphate in severe asthma, 70

DWORETZKY, MURRAY, and ISAACS, NORMAN J. Small-dose emulsion treatment of ragweed pollinosis. A double-blind study continued for three seasons, 438

E

EIDINGER, D., WILKINSON, R., and ROSE, B. A study of cellular responses in immune reactions utilizing the skin window technique. I. Immediate hypersensitivity reactions, 77

F

FALLIERS, CONSTANTINE J. Comments on SIEGAL, S.: The asthma-suppressive action of potassium iodide, 265

FARR, RICHARD S. Comments on SIEGAL, S.: The asthma-suppressive action of potassium iodide, 261

FEHR, H. H. Report on Anergex, 87 (Corr.)

FEINBERG, SAMUEL M. (*See* SLAVIN et al.), 499

FINK, JORDAN N. (*See* SLAVIN et al.), 499

FISHMAN, A. E. Anthrax in a patient with chronic urticara, 383

FONTANA, VINCENT J., WITTIG, HEINZ, and HOLT, L. EMMETT. Specificity of skin tests, reply, 93 (Corr.)

—. (*See* WOLFE and FONTANA), 271

FREEDMAN, SAMUEL O., SHULMAN, ROBERT, and KRUPEY, JOHN. Loss of allergenicity of chlorogenic acid in the gastrointestinal tract, 108

—, —, —, and SEHON, A. H. Antigenic properties of chlorogenic acid, 97

—. (*See* MEACOCK, FREEDMAN, and SEHON), 43

FRIEDLAENDER, ALEX S. (*See* FRIEDLAENDER and FRIEDLAENDER), 361

FRIEDLAENDER, SIDNEY, and FRIEDLAENDER, ALEX S. Observations on basophil degranulation as an indicator of antigen-antibody reaction, 361

G

GIRARD, PIERRE. (*See* ARBESMAN, GIRARD, and ROSE), 535

GOIHMAN-YAHR, MAURICIO. (*See* ALLANSMITH, GOIHMAN-YAHR, and BUELL), 313

GOOD, ROBERT A. (*See* PETERSON, WICKLUND, and GOOD), 134

GOODMAN, DANIEL H. Safflower: utilization and significance in nutrition and allergy, 38

GRUEN, KATE. (*See* KRENT), 149

H

HARGIS, BETTY J. (*See* MALKIEL and HARGIS), 306

HEIMLICH, ERNEST M., and SIEGEL, SHELDON C. Clinical and laboratory evaluation of an antiasthmatic preparation with prolonged action, 27

HOLT, L. EMMETT. (*See* FONTANA et al.), 93 (Corr.)

HORAN, J. DESMOND. (*See* COLEN, VANARSDEL, PASNICK, and HORAN), 331

HORNBROOK, MARGARET M. (*See* DENNIS, HORNBROOK, and ISHIZAKA), 464

—. (*See* ISHIZAKA, DENNIS, and HORNBROOK), 143

I

Isaacs, Norman J. (*See* Dworetzky and Isaacs), 438

Ishizaka, Kimishige, Dennis, Evie G., and Hornbrook, Margaret M. Presence of reagin and γ_{1A}-globulin in saliva, 143

—. (*See* Dennis, Hornbrook, and Ishizaka), 464

Itkin, Irving H. (*See* Dennis and Itkin), 70

J

Josephson, Barry M. Specificity of skin tests, 88 (Corr.)

K

Kailin, Eloise W. Insect Allergy Committee, March, 1963, report, 181

Keeney, Edmund L. The history of asthma from Hippocrates to Meltzer, 215

Kent, John H. (*See* Rose et al.), 520

Kim, Chong-Jin, Ko, Illhyang, and Bukantz, Samuel C. Ciliocytophthoria (CCP) in asthmatic children, with references to viral respiratory infection and exacerbation of asthma, 159

Kirkpatrick, Charles H. (*See* Rowlands, Wilson, and Kirkpatrick), 242

Ko, Illhyang. (*See* Kim, Ko, and Bukantz), 159

Kostage, Stephen T. (*See* Cohen, Sapp, Rizzo, and Kostage), 346

Krent, Justin, with the technical assistance of Gruen, Kate. Electroencephalographic findings in guinea pig anaphylaxis, 149

Krupey, John. (*See* Freedman, Shulman, and Krupey), 108

—. (*See* Freedman, Shulman, Krupey, and and Sehon), 97

L

Langlois, Claude. (*See* Shulman, Langlois, and Arbesman), 446

Lavy, Rina. Thrombocytopenic purpura due to *Lupinus termis* bean, 386

Lawson, William J. (*See* Miller, Smith, and Lawson), 7

LeRoy, George V. Comments on Siegal, S.: The asthma-suppressive action of potassium iodide, 263

Leskowitz, Sidney. (*See* Salvaggio, Cavanaugh, Lowell, and Leskowitz), 62

Levine, Bernard B. (*See* Siegel and Levine), 488

Lidd, David, and Connell, John T. Specific binding of an I^{131}-labeled ragweed pollen fraction by sera of untreated ragweed-sensitive humans, 289

Lowell, Francis C. Comments on Siegal, S.: The asthma-suppressive action of potassium iodide, 259

—, With the technical assistance of Williams, Marsha. Observations on heaves. An asthma-like syndrome in the horse, 322

—. (*See* Salvaggio, Cavanaugh, Lowell, and Leskowitz), 62

M

McLean, J. A., Barlow, P. P., and Sheldon, J. M. Some untoward reactions to repository therapy, 52

—. (*See* Terr and McLean), 127

Malkiel, Saul, and Hargis, Betty J. Anaphylactic reactions in mice induced by *Bordetella pertussis* lipopolysaccharide, 306

—. (*See* Bernstein and Malkiel), 390

Mathews, Kenneth P. Comments on Siegal, S.: The asthma-suppressive action of potassium iodide, 264

Meacock, S. C. R., Freedman, S. O., and Sehon, A. H. Characterization of the dialyzable constituents of the aqueous extract of ragweed pollen, 43

Miller, Floyd F., Smith, Robert E., and Lawson, William J. Repository emulsion therapy for mountain cedar pollinosis: a double-blind study, 7

Mitchell, Shirley. (*See* Thiel, Mitchell, and Parker), 399

N

Naterman, Hyman L. Questions regarding alum-precipitated pyridine complex, 94 (Corr.)

P

PARKER, CHARLES W. (*See* THIEL, MITCHELL, and PARKER), 399

PASNICK, LILA J. (*See* COLEN, VANARSDEL, PASNICK, and HORAN), 331

PATTERSON, ROY. (*See* PRUZANSKY and PATTERSON), 1

PECORA, LOUIS J., and BERNSTEIN, I. LEONARD. Pulmonary diffusing capacity in children with intractable asthma with and without chronic hyperinflation of the lungs, 479

PETERSON, RAYMOND D. A., WICKLUND, PAUL E., and GOOD, ROBERT A. Endotoxin activity of a house dust extract, 134

PINCUS, WILLIAM B., and SOKOLIC, IRVIN H. Conditions for the formation of "acid-stimulating activity" by hypersensitive cells in contact with antigen in vitro, 117

PRUZANSKY, JACOB J., and PATTERSON, ROY. Binding of I^{131}-labeled ragweed antigen by sera of ragweed-sensitive individuals, 1

R

REED, CHARLES E. Unstable complexes of I^{125}-labeled house dust and an antibody-like globulin from human sera, 274

REISMAN, ROBERT E., BONSTEIN, HERBERT S., ROSE, NOEL R., and ARBESMAN, CARL E. Studies of purified fractions of ragweed pollen, 227

—. (*See* ARBESMAN and REISMAN), 12

—. (*See* ROSE et al.), 520

RICHARDS, WARREN. Death from asthma, 86 (Corr.)

RICHTER, M., DELORME, P., and ROSE, B. The reagin-allergen reaction in the skin without concomitant wheal and flare, 356

RIZZO, ANGELO P. (*See* COHEN, SAPP, RIZZO, and KOSTAGE), 346

RORSMAN, HANS. (*See* ASPEGREN and RORSMAN), 433

ROSE, B. (*See* EIDINGER, WILKINSON, and ROSE), 77

—. (*See* RICHTER, DELORME, and ROSE), 356

ROSE, NOEL R., KENT, JOHN H., REISMAN, ROBERT E., and ARBESMAN, CARL E. Demonstration of human reagin in the monkey. I. Passive sensitization of monkey skin with sera of untreated atopic patients, 520

—. (*See* ARBESMAN, GIRARD, and ROSE), 535

—. (*See* REISMAN, BONSTEIN, ROSE, and ARBESMAN), 227

ROWLANDS, DAVID T., JR., WILSON, W. E. C., and KIRKPATRICK, CHARLES H. Immunologic studies in human organ transplantation. II. The histology of passively transferred delayed hypersensitivity, 242

S

SALVAGGIO, J. E., CAVANAUGH, J. J. A., LOWELL, F. C., and LESKOWITZ, SIDNEY. A comparison of the immunologic responses of normal and atopic individuals to intranasally administered antigen, 62

SAPP, THERESA M. (*See* COHEN, SAPP, RIZZO, and KOSTAGE), 346

SEHON, A. H. (*See* FREEDMAN, SHULMAN, KRUPEY, and SEHON), 97

—. (*See* MEACOCK, FREEDMAN, and SEHON), 43

SETTIPANE, GUY A. (*See* CHAFEE and SETTIPANE), 193

SHELDON, J. M. (*See* MCLEAN, BARLOW, and SHELDON), 52

SHERMAN, W. B. (*See* CONNELL and SHERMAN), 18

—. (*See* CONNELL and SHERMAN), 169

SHULMAN, ROBERT. (*See* FREEDMAN, SHULMAN, and KRUPEY), 108

—. (*See* FREEDMAN, SHULMAN, KRUPEY, and SEHON), 97

SHULMAN, SIDNEY, LANGLOIS, CLAUDE, and ARBESMAN, CARL E. The allergic response to stinging insects. I. Preparation of extracts and their biochemical characterization, 446

SIEGAL, SHEPPARD. The asthma-suppressive action of potassium iodide, 252

SIEGEL, BERNARD B., and LEVINE, BERNARD, B. Antigenic specificities of skin-sensitizing antibodies in sera from patients with immediate systemic allergic reactions to penicillin, 488

SIEGEL, SHELDON C. (*See* HEIMLICH and SIEGEL), 27

SILSON, JOHN E. Comments on SIEGAL, S.: The asthma-suppressive action of potassium iodide, 268

SLAVIN, RAYMOND G., FINK, JORDAN N., BECKER, ROBERT J., TENNENBAUM, JAMES I., and FEINBERG, SAMUEL M. Delayed response to antigen challenge in induced delayed reactivity, 499

SMITH, ROBERT E. (*See* MILLER, SMITH, and LAWSON), 7

SOKOLIC, IRVIN H. (*See* PINCUS and SOKOLIC), 117

STRAUSS, MARGARET. Questions regarding alum-precipitated pyridine complex, reply, 95 (Corr.)

T

TENNENBAUM, JAMES I. (*See* SLAVIN et al.), 499

TERR, ABBA I., and BENTZ, JOAN D. Gel filtration of human skin-sensitizing antibody and β_{2A}-globulin, 206

—, and MCLEAN, JAMES A. Studies of insect sting hypersensitivity. I. Precipitin-in-gel tests and passive cutaneous anaphylaxis, 127

THIEL, J. ALLEN, MITCHELL, SHIRLEY, and PARKER, CHARLES W. The specificity of hemagglutination reactions in human and experimental penicillin hypersensitivity, 399

TORSNEY, P. J. Hypersensitivity to sesame seed, 514

TUFT, LOUIS. Specificity of skin tests, 89 (Corr.)

V

VANARSDEL, PAUL P., JR. Comments on SIEGAL, S.: The asthma-suppressive action of potassium iodide, 262

—. (*See* COLEN, VANARSDEL, PASNICK, and HORAN), 331

W

WICKLUND, PAUL E. (*See* PETERSON, WICKLUND, and GOOD), 134

WILKINSON, R. (*See* EIDINGER, WILKINSON, and ROSE), 77

WILLIAMS, MARSHA. (*See* LOWELL), 322

WILSON, W. E. C. (*See* ROWLANDS, WILSON, and KIRKPATRICK), 242

WITTIG, HEINZ. (*See* FONTANA et al.), 93 (Corr.)

WOLFE, HARVEY I., and FONTANA, VINCENT J. The effect of tranquilizers on the immediate skin wheal reaction, 271

Subject Index*

A

Acetylated endotoxin of diminished toxicity, effect on Shwartzman phenomenon and on immunologic phenomena associated with endotoxins, *56* (Abst.)

Acetylcholine, histamine, 5-hydroxytryptamine, anaphylactic slow-reacting substance, and bradykinin, smooth muscle stimulating activity of, effect of lysolecithin on, *54* (Abst.)

Acetylsalicylate in guinea pig lung, anti-anaphylactic action of, *14* (Abst.)

Acid, chlorogenic, antigenic properties of (Freedman et al.), 97

in gastrointestinal tract, loss of allergenicity of (Freedman et al.), 108

Acid-soluble phosphate esters in lesions of eczema and psoriasis, fractionation, *52* (Abst.)

"Acid-stimulating activity," conditions for formation, by hypersensitive cells in contact with antigen in vitro (Pincus and Sokolic), 117

ACTH of animal and human origin, allergy to, *69* (Abst.)

Adjuvant, Freund's incomplete, study of diverse humoral antibody systems following a single injection (Bernstein and Malkiel), 390

pancreatic lesions in inbred mice produced by, *71* (Abst.)

intradermal injection, and injury to contralateral testis, "autoimmune" testicular lesions induced by, *43* (Abst.)

Adolescence, atopic dermatitis in females during, *68* (Abst.)

Adrenal function after application of topical steroids under occ'usive plastic film, *39* (Abst.)

steroid therapy in insulin resistance, *55* (Abst.)

suppression by aerosol steroid inhalation, *70* (Abst.)

Aerosol, dexamethasone, effect on airway obstruction in bronchial asthma, *51* (Abst.)

phosphate in severe asthma, effectiveness and complications of (Dennis and Itkin), 70

steroid inhalation, adrenal suppression by, *70* (Abst.)

therapy in asthma, *51* (Abst.)

Agar gels, new device for immunoprecipitation in, *72* (Abst.)

Aggregates, soluble immune, light, fluorescent and electron microscopic study of effects in allergic liver injury, *92* (Abst.)

Airborne algae, abundance and heterogeneity, *48* (Abst.)

Airway, collapsibility in pathogenesis of obstructive emphysema, *88* (Abst.)

obstruction in bronchial asthma, effect of dexamethasone aerosol on, *51* (Abst.)

obstructive, disease, controlled trial of effect of steroids in, *88* (Abst.)

Albumin, EGG, in man, circulating antibodies to, *10* (Abst.)

Alexander, Edward Lee, obituary, 189

Algae, airborne, abundance and heterogeneity, *48* (Abst.)

Allergen depots, antibody absorbing, immunologic unresponsiveness to sensitization with simple chemical compounds, *60* (Abst.)

Allergen-reagin reaction in skin without concomitant wheal and flare (Richter, Delorme, and Rose), 356

Allergenic properties of milk and milk proteins, study in anaphylaxis in guinea pigs, *14* (Abst.)

Allergenicity of chlorogenic acid in gastrointestinal tract, loss of (Freedman et al.), 108

Allergic children, immune globulins in, *59* (Abst.)

granulomas of prostate in asthmatics, *67* (Abst.)

*January—February, pp. 1-96; March—April, pp. 97-192; May—June, pp. 193-288; July—August, pp. 289-382; September—October, pp. 383-478; November—December, pp. 479-582.

Allergic—Cont'd
liver injury, investigations, *92* (Abst.)
pulmonary infiltration due to nitrofurantoin, *53* (Abst.)
response to stinging insects. I. Preparation of extracts and their biochemical characterization (Shulman, Langlois, and Arbesman), 446
Allergies, miscellaneous, *5, 22, 37, 53, 68, 84* (Absts.)
Allergy to ACTH of animal and human origin, *69* (Abst.)
insect, preliminary studies of cockroach (Bernton and Brown), 506
mebrophenhydramine (Mebryl) in treatment, *52* (Abst.)
milk, skin testing with purified milk proteins, *37* (Abst.)
and nutrition, utilization and significance of safflower in (Goodman), 38
tobacco, in coronary artery disease, *85* (Abst.)
to trypsin (Criep and Beam), 425
Alum-precipitated pyridine complex, questions regarding (Naterman), 93; reply (Strauss), 94 (Corr.)
Alveolar macrophage, role in clearance of bacteria from lung, *55* (Abst.)
American Academy of Allergy. Activities of Research Council, 1963-1964 (Cohen), 472
Distinguished Service Award, 1964, Dr. Howard Osgood, 286
Historian's report (Cohen), 177, 547
Insect Allergy Committee report, 181
Anabolic effects of stanozolol, *27* (Abst.)
Anaphylactic reaction to dextran, *5* (Abst.)
of sulfobromophthalein (BSP), fatal, *23* (Abst.)
reactions, fatal, to wasp stings, reviewed with immunologic studies of a fatal case, *32* (Abst.)
induced by *Bordetella pertussis* lipopolysaccharide (Malkiel and Hargis), 306
slow-reacting substance and bradykinin, smooth muscle stimulating activity of, effect of lysolecithin on, *54* (Abst.)
Anaphylactoid reaction after intradermal test of tetanus antitoxin, *44* (Abst.)
Anaphylaxis, *14, 31, 44, 79, 93* (Absts.)
guinea pig, electroencephalographic findings in (Krent), 149
Anaphylaxis, guinea pig—Cont'd
study of allergenic properties of milk and milk proteins, *14* (Abst.)
passively induced, effect of BCG infection on sensitivity of mice to histamine, serotonin, and, *93* (Abst.)
systemic, fatal, in man, *79* (Abst.)
Anemia, pernicious, patients, reactions of experimentally produced antisera to intrinsic factor of, and of sera from, *78* (Abst.)
Anergex, report on (Fehr), 87; reply (Brown), 87 (Corr.)
Angioneumographic study during asthmatic paroxysm, *82* (Abst.)
Announcements, 16, 96, 192, 287, 376, 475, 554
Anthrax in patient with chronic urticaria (Fishman), 383
Antianaphylactic action of acetylsalicylate in guinea pig lung, *14* (Abst.)
Antiasthmatic preparation with prolonged action, clinical and laboratory evaluation of (Heimlich and Siegel), 27
Antibiotics, topical use of, *20* (Abst.)
Antibodies, antinuclear, in systemic lupus erythematosus and in other diseases, *93* (Abst.)
antipepsinogen, effect on gastric secretion, *41* (Abst.)
circulating, to gluten and milk fractions in nontropical sprue, *56* (Abst.)
to EGG albumin in man, circulating, *10* (Abst.)
high and low molecular weight, inactivation by mercaptoethanol, *42* (Abst.)
to insulin, *59* (Abst.)
in pregnancy, *60* (Abst.)
in sera of patients with myasthenia gravis, tanned-cell hemagglutination test for detection, *75* (Abst.)
7S, their properties and transmission from maternal to fetal circulation in guinea pigs, *29* (Abst.)
skin-sensitizing, antigenic specificities, in sera from patients with immediate systemic allergic reactions to penicillin (Siegel and Levine), 488
Antibody absorbing allergen depots, immunologic unresponsiveness to sensitization with simple chemical compounds, *60* (Abst.)

Antibody—Cont'd
(antigen-) reaction, basophil degranulation as indicator (Friedlaender and Friedlaender), 361
antinuclear, transplacental passage, *44* (Abst.)
circulating, role in homograft rejection in fetal lamb, *62* (Abst.)
to DNA, specific nuclear reaction pattern, in lupus erythematosus sera, *61* (Abst.)
formation and appearance of plasma cells in newborn hamsters, relationship between, *13* (Abst.)
persistence of antigen in nucleoprotein fractions of mouse spleen cells during, *30* (Abst.)
levels for histoplasmosis, effect of diagnostic skin testing on, *11* (Abst.)
lymphocytes, in vitro production of, *11* (Abst.)
plaque formation, inhibition by sensitized lymphoid cells: rapid indicator of transplantation immunity, *92* (Abst.)
production by delayed phase corneal limbal lymphoid foci, *40* (Abst.)
multiple, in myasthenia gravis, *43* (Abst.)
by nonimmune spleen cells incubated with RNA from immunized mice, *73* (Abst.)
19S, single cell studies on, *76* (Abst.)
in swine, relationship of specific deficiencies in pantothenic acid, pyridoxine, or riboflavin to, *12* (Abst.)
skin-sensitizing, and β_{2A}-globulin, gel filtration (Terr and Bentz), 206
titer, relationship of hay fever symptoms to, in patients treated with ragweed emulsion injections, aqueous ragweed injections or no injection treatment (Connell and Sherman), 18
suppression by antigen heavily labeled with iodine-131, *62* (Abst.)
synthesis, cytoplasmic interaction between macrophages and lymphocytic cells in, *58* (Abst.)
effect of β-3-thienylalanine on, *89* (Abst.)
inhibition by L-phenylalanine, *58* (Abst.)
Antibody—Cont'd
systems, diverse humoral, following single injection of Freund's incomplete adjuvant, study (Bernstein and Malkiel), 390
titer, skin-sensitizing, relationship to intracutaneous skin test, to tolerance of injections of antigen, and to effects of prolonged treatment with antigen (Connell and Sherman), 169
titers, as determined by precipitin and hemagglutination technique, lack of correlation, *74* (Abst.)
effects of treatment with emulsions of ragweed extract on, *2* (Abst.)
Antibody-like globulin, detection in sera with unstable complexes of I^{125}-labeled house dust (Reed), 274
Antigen challenge in induced delayed reactivity, delayed response to (Slavin et al.), 499
dose in adult, x-irradiated rabbits, lengthened induction period or immunologic unresponsiveness depending on, *10* (Abst.)
heavily labeled with iodine-131, antibody suppression by, *62* (Abst.)
I^{131}-labeled ragweed, binding by sera of ragweed-sensitive individuals (Pruzansky and Patterson), 1
intranasally administered, comparison of immunologic responses of normal and atopic individuals to (Salvaggio et al.), 62
persistence in nucleoprotein fractions of mouse spleen cells during antibody formation, *30* (Abst.)
precipitens, food, in sera of food-sensitive and normal children, significance of, *12* (Abst.)
relationship of skin-sensitizing antibody titer to intracutaneous skin test, to tolerance of injections of antigens, and to effects of prolonged treatment with (Connell and Sherman), 169
in vitro, conditions for formation of "acid-stimulating activity" by hypersensitive cells in contact with (Pincus and Sokolic), 117
Antigen-antibody complexes, liver response to, *87* (Abst.)

Antigen-antibody—Cont'd
reaction, basophil degranulation as indicator (Friedlaender and Friedlaender), 361
Antigenic properties of chlorogenic acid (Freedman et al.), 97
of human, canine, and rabbit hemoglobin solutions, *92* (Abst.)
specificities of skin-sensitizing antibodies in sera from patients with immediate systemic allergic reactions to penicillin (Siegel and Levine), 488
Antigens, artificial, studies: genetic control of immune response to hapten-poly-L-lysine conjugates in guinea pigs, *76* (Abst.)
mold, experimental reproduction of asthma with (Colen et al.), 331
in moldy hay as cause of farmer's lung, *5* (Abst.)
Antinuclear antibodies in systemic lupus erythematosus and in other diseases, *93* (Abst.)
antibody, transplacental passage, 44 (Abst.)
factor in light sensitivity and lupus erythematosus, *13* (Abst.)
Antipepsinogen antibodies, effect on gastric secretion, *41* (Abst.)
Antisera, human insulin, reaction of fish insulin with: potential value in treatment of insulin resistance, *94* (Abst.)
to intrinsic factor, experimentally produced, reactions of, and of sera from pernicious anemia patients, *78* (Abst.)
Antiserums, "blocking," and human allergic, canine antiserum analogous to, *31* (Abst.)
Antitoxin, tetanus, intradermal test, anaphylactoid reaction after, *44* (Abst.)
Artery, coronary, disease, tobacco allergy in, *85* (Abst.)
Arthus and Shwartzman reactions, possible role of leukocyte granules in, *42* (Abst.)
Arthus-type inflammation and its biological significance, higher susceptibility to thiol compounds of protease in healing sites of, *26* (Abst.)
Artificial antigens, studies: genetic control of immune response to hapten-poly-L-lysine conjugates in guinea pigs, *76* (Abst.)
Aspirin-induced bronchial asthma, *50* (Abst.)
Asthma, aerosol therapy in, *51* (Abst.)
bronchial, airway obstruction in, effect of dexamethasone aerosol on, *51* (Abst.)
aspirin-induced, *50* (Abst.)
chronic, LE cells in, *18* (Abst.)
death from (Richards), 86; reply (Alexander), 86 (Corr.)
and emphysema, serum enzymes in patients with, *82* (Abst.)
exacerbation, ciliocylophthoria (CCP) in asthmatic children, with references to viral respiratory infection and (Kim et al.), 159
experimental, of guinea pig induced by bronchial sputum, *18* (Abst.)
reproduction with mold antigens (Colen et al.), 331
and hay fever, *2, 18, 34, 50, 66, 82* (Absts.)
history, from Hippocrates to Meltzer (Keeney), 215
improved inhalation therapy, *34* (Abst.)
intractable, pulmonary diffusing capacity in children with, with and without chronic hyperinflation of lungs (Pecora and Bernstein), 479
serum proteins in sputum of patients with (Dennis, Hornbrook, and Ishizaka), 464
severe, effectiveness and complications of aerosol dexamethasone phosphate in (Dennis and Itkin), 70
toluene diisocyanate, *3* (Abst.)
Asthma-like syndrome in horse, heaves (Lowell), 322
Asthma-suppressive action of potassium iodide (Siegal), 252
Asthmatic children, ciliocytophthoria (CCP) in, with references to viral respiratory infection and exacerbation of asthma (Kim et al.), 159
and normal subjects, preliminary report on comparison of effects of isoproterenol in, *19* (Abst.)
paroxysm, angioneumographic study during, *82* (Abst.)
patients, allergic granulomas of prostate in, *67* (Abst.)

Asthmatic patients—Cont'd
sequential study of mood and fantasy in two, *19* (Abst.)
sputum, interference with tryptic digestion by, *18* (Abst.)
Atmosphere, year to year variation in fungus spore content, *67* (Abst.)
Atmospheric pollen and mold survey, Providence, Rhode Island, 1949 to 1956 (Chafee and Settipane), 193
pollutants, effect on susceptibility to respiratory infection, *46* (Abst.)
Atopic dermatitis in females during adolescence, *68* (Abst.)
natural history. A 20-year follow-up study, *83* (Abst.)
eczema, abnormal vascular reactions in, *21* (Abst.)
and normal, individuals, comparison of responses to intranasally administered antigen (Salvaggio et al.), 62
patients, untreated, passive sensitization of monkey skin with sera of (Rose et al.), 520
in vitro passive sensitization of monkey ileum with sera of (Arbesman et al.), 535
Auto-antigenicity of connective tissue extracts, *28* (Abst.)
"Autoimmune" testicular lesions induced by injury to contralateral testis and intradermal injection of adjuvant, *43* (Abst.)
thyroiditis, *45* (Abst.)
Autoimmunity to human skin, evidence in infantile eczema, *20* (Abst.)

B

Bacon, Lyle C., obituary, 477
Bacteria, clearance by lower respiratory tract, *25* (Abst.)
from lung, role of alveolar macrophage in, *55* (Abst.)
Bacterial endocarditis, subacute, new cutaneous syndrome in, *83* (Abst.)
in patients allergic to penicillin: possible immunologic mechanisms, *68* (Abst.)
Basophil, circulating, as indicator of hypersensitivity; experimental novobiocin sensitization, *35* (Abst.)
Basophil—Cont'd
degranulation as indicator of antigen-antibody reaction (Friedlaender and Friedlaender), 361
test, indirect, in penicillin allergy, *69* (Abst.)
response, diagnostic, in patient with chronic urticaria, flushing, and headaches, menthol hypersensitivity, *84* (Abst.)
BCG infection, effect of sensitivity of mice to histamine, serotonin, and passively induced anaphylaxis, *93* (Abst.)
Bean, *Lupinus termis*, thrombocytopenic purpura due to (Lavy), 386
Bee sting, encephalopathy and papilledema after, *80* (Abst.)
Bees, honey, venom collection from, *80* (Abst.)
Binding, specific, of I^{131}-labeled ragweed pollen fraction by sera of untreated ragweed-sensitive humans (Lidd and Connell), 289
Biochemical characterization, preparation of extracts of stinging insects and (Shulman, Langlois, and Arbesman) 446
Bithionol, contact photodermatitis from, *4* (Abst.)
sensitivity to: need for caution when patch testing, *21* (Abst.)
Blood gas exchange in emphysema, effects of slow deep breathing on, *9* (Abst.)
peripheral, lymphocyte preparations, transfer of delayed hypersensitivity in man by, *73* (Abst.)
lymphocytes from, mitosis-stimulating effect of tuberculin on (Aspegren and Rorsman), 433
in vitro, immune response and mitosis, *74* (Abst.)
Blue, trypan, effects on formation of thrombi in generalized Shwartzman reaction, *8* (Abst.)
Bordetella pertussis lipopolysaccharide, anaphylactic reactions induced by (Malkiel and Hargis), 306
Bradykinin, histamine, acetylcholine, 5-hydroxytryptamine, and anaphylactic slow-reacting substance, smooth muscle stimulating activity of, effect of lysolecithin on, *54* (Abst.)
Brain damage due to penicillin, *23* (Abst.)

Breathing, mechanics in chronic obstructive pulmonary disease, *27* (Abst.)
slow deep, effects on blood gas exchange in emphysema, *9* (Abst.)
Bronchial asthma, airway obstruction in, effect of dexamethasone aerosol on, *51* (Abst.)
aspirin-induced, *50* (Abst.)
mucus, insoluble gel, β_{2A}-globulin as molecular constituent, *47* (Abst.)
sputum, experimental asthma of guinea pig induced by, *18* (Abst.)
Bronchodilator vehicle, "thermo fog" as, physiologic benefits, acute ventilation responses, *34* (Abst.)
Bronchopulmonary disease, chronic obstructive, *70* (Abst.)
Bubert, Howard Matheson, obituary, 379

C

Canine antiserum analogous to human allergic and "blocking" antiserums, *31* (Abst.)
Carbromal ingestion, nonthrombocytopenic purpura due to, *86* (Abst.)
Cedar, mountain *(Juniper sabinoides)*, pollinosis, repository emulsion for (Miller et al.), 7
Cellular responses in immune reactions utilizing skin window technique, study of (Eidinger et al.), 77
Chemical compounds, simple, sensitization with, immunologic unresponsiveness to, antibody absorbing allergen depots, *60* (Abst.)
Chemicals, drugs and, effect on drug metabolism, *86* (Abst.)
Chloride and sodium, elevated sweat, in adult without cystic fibrosis, *27* (Abst.)
Chlorogenic acid, antigenic properties of (Freedman et al.), 97
in gastrointestinal tract, loss of allergenicity of (Freedman et al.), 108
Chlorpromazine, reaction to, *69* (Abst.)
Chorionepithelioma, immunological studies and behavior of husband and foreign homografts in patients with, *77* (Abst.)
Chronic meningococcemia: further comments on pathogenesis of associated skin lesions, *71* (Abst.)
Ciliocytophthoria (CCP) in asthmatic children, with references to viral respiratory infection and exacerbation of asthma (Kim et al.), 159
Circulating antibodies to gluten and milk fractions in nontropical sprue, *56* (Abst.)
antibody, role in homograft rejection in fetal lamb, *62* (Abst.)
Circulation, fetal, 7S antibody properties and transmission from maternal circulation in guinea pigs to, *29* (Abst.)
Citron, A. Edward, obituary, 188
Cockroach, preliminary studies of insect allergy, (Bernton and Brown), 506
Colitis, ulcerative, milk and, *79* (Abst.)
thromboembolic phenomena in, *77* (Abst.)
Collapsible trachea, nonallergic cause of wheezing in infancy, *66* (Abst.)
Conjunctivitis, vernal, serum electrophoretic patterns in, *69* (Abst.)
Connective tissue extracts, autoantigenicity of, *28* (Abst.)
Contact dermatitis caused by Saran wrap, *68* (Abst.)
effect of x-ray lymphopenia on; failure of whole-body x-irradiation to inhibit delayed hypersensitivity challenge response, *35* (Abst.)
Cord sera, relationship of gamma-1A globulin and reagin in (Allansmith and Buell), 339
Corneal limbal lymphoid foci, delayed phase, antibody production by, *40* (Abst.)
Coronary artery disease, tobacco allergy in, *85* (Abst.)
Corticosteroid dosage regimen, intermittent studies on, *7* (Abst.)
eye drops, elevated intraocular pressure following, *15* (Abst.)
Corticotropin and cortisol effect on urinary excretion of metabolites of serotonin (5-HIAA) in normal subjects and respiratory allergic patients, *66* (Abst.)
Cosmetic irritancy, new methods for evaluating, *19* (Abst.)
Cow's milk proteins, gluten and, serologic reactions to, in gastrointestinal disease, *77* (Abst.)
sensitivity to, *84* (Abst.)
Credille, Barney A., obituary, 189
Crump, Jean, obituary, 382

Cutaneous syndrome in subacute bacterial endocarditis, new, *83* (Abst.)
Cystic fibrosis, elevated sweat sodium and chloride in adult without, *27* (Abst.)
Cytoplasmic interaction between macrophages and lympocytic cells in antibody synthesis, *58* (Abst.)

D

Death from asthma (Richards), 86; reply (Alexander), 86 (Corr.)
from wasp sting, *93* (Abst.)
Deer scurf, sensitivity to, *24* (Abst.)
Degranulation, basophil, as indicator of antigen-antibody reaction (Friedlaender and Friedlaender), 361
test, indirect basophil, in penicillin allergy, *69* (Abst.)
Delayed hypersensitivity challenge response, failure of whole-body x-irradiation to inhibit; effect of x-ray lymphopenia on contact dermatitis, *35* (Abst.)
passively transferred, histology, in human organ transplantation (Rowlands et al.), 242
reactivity, induced, delayed response to antigen challenge in (Slavin et al.), 499
response to antigen challenge in induced delayed reactivity (Slavin et al.), 499
sensitivity to ferritin, electron microscopic study, *63* (Abst.)
Dermatitis, atopic, in females during adolescence, *68* (Abst.)
natural history. A 20-year follow-up study, *83* (Abst.)
contact, caused by Saran wrap, *68* (Abst.)
effect of x-ray lymphopenia on; failure of whole-body x-irradiation to inhibit delayed hypersensitivity challenge response, *35* (Abst.)
exfoliative, and erythroderma, protein metabolism in, *57* (Abst.)
formalin textile, *52* (Abst.)
golf-course, due to thiram fungicide, *53* (Abst.)
seborrheic, eczema, and psoriasis, phosphorus distribution in lesions, *57* (Abst.)
Dermatology, *3, 19, 35, 52, 67, 83* (Absts.)
Dexamethasone aerosol, effect on airway obstruction in bronchial asthma, *51* (Abst.)
phosphate, aerosol, effectiveness and complications of, in severe asthma (Dennis and Itkin), 70
Dextran, anaphylactic reaction to, *5* (Abst.)
Diagnostic skin testing, effect on antibody levels for histoplasmosis, *11* (Abst.)
Dialyzable constituents of aqueous extract of ragweed pollen, characterization of (Meacock et al.), 43
Diffusing capacity, pulmonary, in children with intractable asthma with and without chronic hyperinflation of lungs (Pecora and Bernstein), 479
Digestion, tryptic, interference with, by asthmatic sputum, *18* (Abst.)
Dinitrophenylated proteins, immunologic specificity of secondary response with, *89* (Abst.)
Diphenhydramine poisoning treated by exchange transfusion, *46* (Abst.)
Disease, pulmonary, chronic obstructive, mechanics of breathing in, *27* (Abst.)
Diseases of hypersensitivity and childhood leukemia, *80* (Abst.)
Diverse humoral antibody systems following single injection of Freund's incomplete adjuvant (Bernstein and Malkiel), 390
DNA, antibody to, specific nuclear reaction pattern, in lupus erythematosus sera, *61* (Abst.)
Dosage regimen, intermittent corticosteroid, studies on, *7* (Abst.)
Dose response curve, shift in, on Prausnitz-Küstner reaction by direct suggestion under hypnosis, *64* (Abst.)
Drug interactions; effects of drugs and chemicals on drug metabolism, *86* (Abst.)
metabolism, effects of drugs and chemicals on, *86* (Abst.)
reactions following urethral instillation of tripelennamine (Pyribenzamine), *71* (Abst.)
Drugs and chemicals, effect on drug metabolism, *86* (Abst.)
Dust, house, extract, endotoxin activity (Peterson et al.), 134

Dust, house—Cont'd
I^{125}-labeled unstable complexes, in detection of antibody-like globulin in sera (Reed), 274
Dwarf ragweed fraction, purified, hyposensitization studies with, *3* (Abst.)

E

Eczema atopic, abnormal vascular reactions in, *21* (Abst.)
disseminated, studies of, *22* (Abst.)
infantile, evidence of autoimmunity to human skin, *20* (Abst.)
and psoriasis, lesions of, fractionation of acid-soluble phosphate esters in, *52* (Abst.)
and seborrheic dermatitis, phosphorus distribution in lesions, *57* (Abst.)
Eczematoid lesions, statistical observations on, *21* (Abst.)
EGG albumin in man, circulating antibodies to, *10* (Abst.)
Electroencephalographic findings in guinea pig anaphylaxis (Krent), 149
Electron microscopic study of delayed sensitivity to ferritin, *63* (Abst.)
Electrophoretic patterns, serum, in vernal conjunctivitis, *69* (Abst.)
Emotional field—sequential study of mood and fantasy in two asthmatic patients, *19* (Abst.)
Emphysema, effects of slow deep breathing on blood gas exchange in, *9* (Abst.)
obstructive, major airway collapsibility in pathogenesis, *88* (Abst.)
pulmonary, evaluation of tracheostomy in, *26* (Abst.)
responses to exercise training in, *46* (Abst.)
serum enzymes in patients with asthma and, *82* (Abst.)
Emulsion therapy of pollinosis, untoward reactions to, *50* (Abst.)
repository, for mountain cedar pollinosis (Miller et al.), 7
treatment, small-dose, of ragweed pollinosis, double-blind study continued for three seasons (Dworetzky and Isaacs), 438
Encephalopathy and papilledema after bee sting, *80* (Abst.)
Endocarditis, subacute bacterial, new cutaneous syndrome in, *83* (Abst.)
Endocarditis, subacute bacterial—Cont'd
in patients allergic to penicillin; possible immunologic mechanisms, *68* (Abst.)
Endotoxin, acetylated, of diminished toxicity, effect on Shwartzman phenomenon associated with endotoxins, *56* (Abst.)
activity of house dust extract (Peterson et al.), 134
Enzymes, serum, in patients with asthma and emphysema, *82* (Abst.)
Eosinophilia, experimental, lymph mode responses to altered gamma globulins (Cohen et al.), 346
of magnesium deficiency, role of histamine in, *54* (Abst.)
of unknown cause, *47* (Abst.)
Eosinophilic gastroenteritis, *94* (Abst.)
pleural effusion, *88* (Abst.)
Epinephrine, norepinephrine, and mecholyl, effect on Shwartzman phenonemon in colon of rabbits, *24* (Abst.)
Epoxy used as plasticizers and stabilizers in polyvinyl chloride resins, hypersensitivity to, *36* (Abst.)
Erythroderma and exfoliative dermatitis, protein metabolism in, *57* (Abst.)
Exchange transfusion, diphenhydramine poisoning treated by, *46* (Abst.)
Exercise training, responses in emphysema, *46* (Abst.)
Exfoliative dermatitis and erythroderma, protein metabolism in, *57* (Abst.)
Extracts of stinging insects and their biochemical characterization (Shulman, Langlois, and Arbesman), 446
Eye drops, corticosteroid, elevated intraocular pressure following, *15* (Abst.)

F

Fantasy and mood in two asthmatic patients, sequential study of, *19* (Abst.)
Farmer's lung, antigens in moldy hay as cause of, *5* (Abst.)
pulmonary function in, *38* (Abst.)
Ferritin, delayed sensitivity to, electron microscopic study, *63* (Abst.)
Fetal circulation in guinea pigs, 7S antibody properties and transmission from maternal circulation to, *29* (Abst.)
effects of steroid therapy during pregnancy, *28* (Abst.)

Fetal—Cont'd
lamb, homograft rejection in, role of circulating antibody, *62* (Abst.)
Filtration, gel, of skin-sensitizing antibody and β_{2A}-globulin (Terr and Bentz), 206
Fish insulins, reaction with human insulin antisera: potential value in treatment of insulin resistance, *94* (Abst.)
Flushing, chronic urticaria, and headaches, menthol hypersensitivity—diagnostic basophil response in patient with, *84* (Abst.)
Food allergens, bioassay of, heart rate reaction of guinea pigs to food studied with, *28* (Abst.)
antigen precipitins in sera of food-sensitive and normal children, significance, *12* (Abst.)
Food-induced reactions of heart rate of guinea pigs, studied in conjunction with bioassay of food allergens, *28* (Abst.)
Food-sensitive and normal children, significance of food antigen precipitins in sera of, *12* (Abst.)
Formalin textile dermatitis, *52* (Abst.)
Fractionation of acid-soluble phosphate esters in lesions of eczema and psoriasis, *52* (Abst.)
Fractions, purified, of ragweed pollen (Reisman et al.), 227
Freund's adjuvant, pancreatic lesions in inbred mice produced by, *71* (Abst.)
incomplete adjuvant, study of diverse humoral antibody systems following a single injection (Bernstein and Malkiel), 390
Fungicide, thiram, golf-course dermatitis due to, *53* (Abst.)
Fungus spore content of atmosphere, year to year variation in, *67* (Abst.)

G

Gamma globulins (*see* Globulins)
Gastric secretion, effect of antipepsinogen antibodies on, *41* (Abst.)
Gastroenteritis, eosinophilic, *94* (Abst.)
Gastrointestinal disease, serologic reactions to gluten and cow's milk proteins in, *77* (Abst.)
Gastrointestinal—Cont'd
tract, loss of allergenicity of chlorogenic acid in (Freedman et al.), 108
Gel filtration of skin-sensitizing antibody and β_{2A}-globulin (Terr and Bentz), 206
Genetic control of immune response to hapten-poly-L-lysine conjugates in guinea pigs, *76* (Abst.)
Globulin, antibody-like, detection in sera with unstable complexes of I^{125}-labeled house dust (Reed), 274
beta-2A as molecular constituent of insoluble bronchial mucus gel, *47* (Abst.)
and skin-sensitizing antibody, gel filtration (Terr and Bentz), 206
gamma, clinical use, *15* (Abst.)
gamma-1A, and reagin, relationship in cord sera (Allansmith and Buell), 339
in saliva, presence of (Ishizaka et al.), 143
gamma-2, in skin (Allansmith, Goihman-Yahr, and Buell), 313
Globulins, gamma, altered, lymph node responses to (Cohen et al.), 346
immune, in allergic children, *59* (Abst.)
Glucose-6-phosphate dehydrogenase deficiency, chronic hemolysis associated with, *88* (Abst.)
Gluten and cow's milk proteins, serologic reactions to, in gastrointestinal disease, *77* (Abst.)
and milk fractions, circulating antibodies to, in nontropical sprue, *56* (Abst.)
Golf-course dermatitis due to thiram fungicide, *53* (Abst.)
Gottesman, Abraham, obituary 380
Granulomas, allergic, of prostate in asthmatics, *67* (Abst.)
Grass pollen extract, alteration in activity, *82* (Abst.)

H

Hapten-poly-L-lysine conjugates in guinea pigs, genetic control of immune response to, *76* (Abst.)
Hashimoto's disease in identical twins, *47* (Abst.)
Hay fever, asthma and, *2, 18, 34, 50, 66, 82* (Absts.)

Hay fever—Cont'd
symptoms, relationship to skin-sensitizing antibody titer in patients treated with ragweed emulsion injections, aqueous ragweed injections, or no injection treatment (Connell and Sherman), 18
Headaches, chronic urticaria, flushing, and menthol hypersensitivity—diagnostic basophil response in patient with, *84* (Abst.)
Heart rate reaction of guinea pigs to food studied with bioassay of food allergens, *28* (Abst.)
Heaves, asthma-like syndrome in horse (Lowell), 322
Hemagglutination reactions in human and experimental penicillin hypersensitivity, specificity (Thiel, Mitchell and Parker), 399
technique, precipitin and, lack of correlation of antibody titers as determined by, *74* (Abst.)
test, tanned-cell, for detection of antibodies in sera of patients with myasthenia gravis, *75* (Abst.)
Hemoglobin solutions, human, canine, and rabbit, antigenic properties, *92* (Abst.)
Hemolysis, chronic, associated with glucose-6-phosphate dehydrogenase deficiency, *88* (Abst.)
Herpes simplex, recurrent vaccine therapy in, *91* (Abst.)
Hippocrates, history of asthma from, to Meltzer (Kenney), 215
Histamine, acetylcholine, 5-hydroxytryptamine, anaphylactic slow-reacting substance, and bradykinin, smooth muscle stimulating activity of, effect of lysolecithin on, *54* (Abst.)
role in eosinophilia of magnesium deficiency, *54* (Abst.)
serotonin and passively induced anaphylaxis, effect of BCG infection on sensitivity of mice to, *93* (Abst.)
skin, in urticaria, *36* (Abst.)
Histocompatibility, potential, test, lymphocyte interaction, *38* (Abst.)
Histology of passively transferred delayed hypersensitivity in human organ transplantation (Rowlands et al), 242
Histoplasmosis, effect of diagnostic skin testing on antibody levels for, *11* (Abst.)
History of asthma from Hippocrates to Meltzer (Kenney), 215
Homograft reaction in mice: effect of urethane and sublethal x-radiation, *12* (Abst.)
rejection in fetal lamb, role of circulating antibody, *62* (Abst.)
sensitivity induction by group A streptococci, *91* (Abst.)
Homografts from husband and foreign donor, behavior in patients with chorionepithelioma, *77* (Abst.)
Honey bees, venom collection from, *80* (Abst.)
Hormone, parathyroid bovine, immunochemical studies, *90* (Abst.)
House dust extract, endotoxin activity of (Peterson et al.), 134
I^{125}-labeled unstable complexes, in detection of antibody-like globulin in sera (Reed), 274
Human reagin in monkey, demonstration in monkey ileum (Arbesman et al.), 535
in monkey skin (Rose et al.), 520
Humoral antibody systems, diverse, following single injection of Freund's incomplete adjuvant (Bernstein and Malkiel), 390
5-Hydroxy-indoleacetic acid catabolite of serotin, urinary determination in normal subjects and respiratory allergic patients, *2* (Abst.)
5-Hydroxytryptamine, histamine, acetylcholine, anaphylactic slow-reacting substance, and bradykinin, smooth muscle stimulating activity of, effect of lysolecithin on, *54* (Abst.)
Hyperinflation of lungs, chronic, pulmonary diffusing capacity in children with intractable asthma with and without (Pecora and Bernstein), 479
Hypersensitive vasculitis of skin, *36* (Abst.)
Hypersensitivity, circulating basophil as indicator; experimental novobiocin sensitization, *35* (Abst.)
delayed, challenge response, failure of whole-body x-irradiation to inhibit; effect of x-ray lymphopenia on contact dermatitis, *35* (Abst.)
in man: transfer by lymphocyte preparations of peripheral blood, *73* (Abst.)

Hypersensitivity, delayed—Cont'd
passively transferred, histology, in human organ transplantation (Rowlands et al.), 242
diseases and childhood leukemia, *80* (Abst.)
to epoxy resins used as plasticizers and stabilizers in polyvinyl chloride resins, *36* (Abst.)
penicillin, detection with penicilloyl-polylysine, *39* (Abst.)
human and experimental, specificity of hemagglutination reactions (Theil, Mitchell and Parker), 399
phenylbutazone, sarcoid reaction associated with, *6* (Abst.)
purpuras, *59* (Abst.)
reaction in spectrum of lupus erythematosus, Stevens-Johnson syndrome, *37* (Abst.)
reactions, immediate (Eidinger et al), *77*
textile-finish contact, *83* (Abst.)
Hypnosis, direct suggestion under, shift in dose response curve on Prausnitz-Küstner reaction by, *64* (Abst.)
Hyposensitization with poison ivy extracts, attempts, *67* (Abst.)
studies with purified dwarf ragweed fraction, *3* (Abst.)
therapy including repository (Arbesman and Reisman), *12*

I

Ileum, monkey, in vitro passive sensitization, with sera of untreated atopic patients (Arbesman et al.), 535
Immediate skin wheal reaction, effect of tranquilizers on (Wolfe and Fontana), 271
Immune aggregates, soluble, light, fluorescent and electron microscopic study of effects in allergic liver injury, *92* (Abst.)
globulins in allergic children, *59* (Abst.)
response to hapten-poly-L-lysine conjugates in guinea pigs, genetic control, *76* (Abst.)
and mitosis of human peripheral blood lymphocytes in vitro, *74* (Abst.)
Immunity, transplantation, rapid indicator, inhibition of antibody plaque formation by sensitized lymphoid cells, *92* (Abst.)
Immunization, influenza, in 1962, *12* (Abst.)
Immunochemical studies of bovine parathyroid hormone, *90* (Abst.)
Immunoglobulins in normal tracheobronchial washings, *58* (Abst.)
Immunologic incompetence of immunologically runted animals, *64* (Abst.)
mechanisms, subacute bacterial endocarditis in patients allergic to penicillin, *68* (Abst.)
responses of normal and atopic individuals to intranasally administered antigen, comparison of (Salvaggio et al.), 62
responsiveness of man to penicillin, *30* (Abst.)
specificity of secondary responses with dinitrophenylated proteins, *89* (Abst.)
studies and behavior of husband and foreign homografts in patients with chorionepithelioma, *77* (Abst.)
in human organ transplantation, histology of passively transferred delayed hypersensitivity (Rowlands et al.), 242
of intrinsic factor. Reactions of experimentally produced antisera to human and hog intrinsic factor and of sera from pernicious anemia patients, *78* (Abst.)
tolerance in rabbits, effect of thymectomy on termination, *72* (Abst.)
unresponsiveness, or lengthened induction period, depending on antigen dose in adult x-irradiated rabbits, *10* (Abst.)
to sensitization with simple chemical compounds, antibody absorbing allergen depots, *60* (Abst.)
Immunology *9, 28, 39, 58, 72, 89* (Absts.)
Immunoprecipitation in agar gels, new device for, *72* (Abst.)
Induction period, lengthened, or immunologic irresponsiveness depending on antigen dose in adult x-irradiated rabbits, *10* (Abst.)
Infantile eczema—evidence of autoimmunity to human skin, *20* (Abst.)
Infants, incidence of milk sensitivity and development of allergy in, *24* (Abst.)
Inflammation, Arthus-type, and its biological significance, higher susceptibility to thiol compounds of a protease in healing sites of, *26* (Abst.)
Influenza immunization in 1962, *12* (Abst.)

Inhalation, aerosol steroid, adrenal suppression by, *70* (Abst.)
therapy of asthma, improved, *34* (Abst.)
Insect allergy committee, March, 1963, report (Karlin), 181
—preliminary studies of cockroach (Bernton and Brown), 506
sting hypersensitivity, studies on (Terr and McLean), 127
Insects, stinging, allergic response to: preparation of extracts and their biochemical characterization (Shulman, Langlois, and Arbesman), 446
Insulin antibodies, *59* (Abst.)
in pregnancy, *60* (Abst.)
human, antisera, reaction of fish insulins with, potential value in treatment of insulin resistance, *94* (Abst.)
resistance, adrenal steroid therapy in, *55* (Abst.)
Insulins, fish, reaction with human insulin antisera: potential value in treatment of insulin resistance, *94* (Abst.)
Intraocular pressure elevated, following corticosteroid eye drops, *15* (Abst.)
Intrinsic factor, immunologic studies. Reactions of experimentally produced antisera to human and hog intrinsic factor and of sera from pernicious anemia patients, *78* (Abst.)
Iodine-131, antigen heavily labeled with, antibody suppression by, *62* (Abst.)
I^{131}-labeled ragweed antigen by sera of ragweed-sensitive individuals, binding of (Pruzansky and Patterson), 1
Isoproterenol in normal and asthmatic subjects, comparison of effects of, *19* (Abst.)

K

"Kissing bug" bite in Los Angeles, *38* (Abst.)

L

Latex fixation tests in nonrheumatic states, *57* (Abst.)
LE cells in chronic bronchial asthma, *18* (Abst.)
Leukemia, childhood, diseases of hypersensitivity and, *80* (Abst.)
Leukocyte granules, possible role in Shwartzman and Arthus reactions, *42* (Abst.)
Light sensitivity and lupus erythematosus. antinuclear factor in, *13* (Abst.)
Lipopolysaccharide, *Bordetella pertussis*, anaphylactic reactions induced by (Malkiel and Hargis), 306
Liver injury, allergic, investigations, *92* (Abst.)
response to antigen-antibody complexes, *87* (Abst.)
Lung, clearance of bacteria from, role of alveolar macrophage in, *55* (Abst.)
farmer's antigens in moldy hay as cause of, *5* (Abst.)
pulmonary function in, *38* (Abst.)
guinea pig, antianaphylactic action of acetylsalicylate in, *14* (Abst.)
Lungs, chronic hyperinflation, pulmonary diffusing capacity in children with intractable asthma with and without (Pecora and Bernstein), 479
Lupinus termis bean, thrombocytopenic purpura due to (Lavy), 386
Lupus erythematosus, hypersensitivity reaction in spectrum of, Stevens-Johnson syndrome, *37* (Abst.)
and light sensitivity, antinuclear factor in, *13* (Abst.)
sera, specific nuclear reaction pattern of antibody to DNA in, *61* (Abst.)
systemic, antinuclear antibodies in, and in other diseases, *93* (Abst.)
Lymph node responses to altered gamma globulins, experimental eosinophilia (Cohen et al.), 346
Lymphocyte interaction, potential histocompatibility test, *38* (Abst.)
preparations of peripheral blood, transfer of delayed hypersensitivity in man by, *73* (Abst.)
Lymphocytes, antibody in vitro production of, *11* (Abst.)
isolation of immunologically competent, from sensitized mouse spleens, *90* (Abst.)
from peripheral blood, mitosis-stimulating effect of tuberculin on (Aspegren and Rorsman), 433
immune response and mitosis, in vitro, *74* (Abst.)

Lymphocytic cells and macrophages, cytoplasmic interaction in antibody synthesis, *58* (Abst.)
Lymphoid cells, sensitized, inhibition of antibody plaque formation by rapid indicator of transplantation immunity, *92* (Abst.)
tritriated-labeled, passive transfer of contact sensitivity by, *9* (Abst.)
foci, corneal limbal, delayed phase, antibody production by, *40* (Abst.)
Lymphopenia, x-ray, effect on contact dermatitis; failure of whole-body x-irradiation to inhibit delayed hypersensitivity challenge response, *35* (Abst.)
Lysolecithin, effect on smooth muscle stimulating activity of histamine, acetylcholine, 5-hydroxytryptamine, anaphylactic slow-reacting substance, and bradykinin, *54* (Abst.)

M

MacQuiddy, Ernest Lynn, Sr., obituary, 190
Macrophage, alveolar, role in clearance of bacteria from lung, *55* (Abst.)
Macrophages and lymphocytic cells, cytoplasmic interaction in antibody synthesis, *58* (Abst.)
Magnesium deficiency, eosinophilia of, role of histamine in, *54* (Abst.)
Maternal-fetal transmission of 7S antibodies and their properties in circulation of guinea pigs, *29* (Abst.)
Mebrophenhydramine (Mebryl) in treatment of allergic conditions, *52* (Abst.)
Mecholyl, epinephrine, and norepinephrine, effects on Shwartzman phenomenon in colon of rabbits, *24* (Abst.)
Meltzer, history of asthma from Hippocrates to (Kenney), 215
Meningococcemia, chronic; further comments on pathogenesis of associated skin lesions, *71* (Abst.)
Menthol hypersensitivity—diagnostic basophil response in patient with chronic urticaria, flushing, and headaches, *84* (Abst.)
Mercaptoethanol, inactivation of high and low molecular weight antibodies by, *42* (Abst.)
Metabolism, drug, effects of drugs and chemicals on, *86* (Abst.)
Metabolism—Cont'd
protein, in exfoliative dermatitis and erythroderma, *57* (Abst.)
Metabolites of serotonin (5-HIAA), urinary excretion, effect of corticotropin and cortisol on, in normal subjects and respiratory allergic patients, *66* (Abst.)
Milk allergy, skin testing with purified milk proteins, *37* (Abst.)
cow's, proteins, gluten and, serologic reactions to, in gastrointestinal disease, *77* (Abst.)
sensitivity to, *84* (Abst.)
fractions and gluten, circulating antibodies to, in nontropical sprue, *56* (Abst.)
and isolated milk proteins in allergic children, oral challenge with, *22* (Abst.)
and milk proteins, allergenic properties of, study in anaphylaxis in guinea pigs, *14* (Abst.)
proteins, purified, skin testing with, for milk allergy, *37* (Abst.)
sensitivity and development of allergy in infants, incidence of, *24* (Abst.)
and ulcerative colitis, *79* (Abst.)
Mineral oil and mineral oil adjuvants, induction of plasma-cell neoplasms in strain BALB/c mice with, *45* (Abst.)
Miscellaneous abstracts, *45, 79* (Absts.)
allergies, *5, 22, 37, 53, 68, 84* (Absts.)
Mitosis, immune response and, of human peripheral blood lymphocytes in vitro, *74* (Abst.)
Mitosis-stimulating effect of tuberculin on lymphocytes from peripheral blood (Aspegren and Rorsman), 433
Mold antigens, experimental reproduction of asthma with (Colen et al.), 331
and pollen, atmospheric, survey, Providence, Rhode Island, 1949 to 1956 (Chafee and Settipane), 193
Moldy hay, antigens in, as cause of farmer's lung, *5* (Abst.)
Mood and fantasy in two asthmatic patients, sequential study of, *19* (Abst.)
Mountain cedar pollinosis, repository emulsion therapy for (Miller et al.), 7
Mucus gel, bronchial, insoluble, β_{2A}-globulin as molecular constituent, *47* (Abst.)

Myasthenia gravis, multiple antibody production in, *43* (Abst.)
tanned-cell hemagglutination test for detection of antibodies in sera of patients with, *75* (Abst.)

N

Nail discoloration, photosensitivity and onycholysis with tetracycline, *4* (Abst.)
Neoplasms, plasma-cell, induction in strain BALB/c mice with mineral oil and mineral oil adjuvants, *45* (Abst.)
Nephrotic syndrome associated with penicillamine therapy of Wilson's disease, *54* (Abst.)
Nitrofurantoin, allergic pulmonary infiltration due to, *53* (Abst.)
pleuropulmonary reaction to, *85* (Abst.)
Nitrogen dioxide, effect on susceptibility to respiratory infection, *46* (Abst.)
Norepinephrine, epinephrine, and mecholyl, effects on Shwartzman phenomenon in colon of rabbits, *24* (Abst.)
Novobiocin sensitization, experimental; circulating basophil as indicator of hypersensitivity, *35* (Abst.)
Nuclear reaction pattern, specific, of antibody to DNA in lupus erythematosus sera, *61* (Abst.)
Nucleoprotein fractions of mouse spleen cells during antibody formation, persistence of antigen in, *30* (Abst.)
Nutrition and allergy, utilization and significance of safflower in (Goodman), 38

O

Obituaries, 188, 378, 476
Obstructive bronchopulmonary disease, chronic, *70* (Abst.)
Onycholysis, photosensitivity, and nail discoloration with tetracycline, *4* (Abst.)
Organ transplantation, human, immunologic studies, histology of passively transferred delayed hypersensitivity, (Rowlands et al.), 242
Osgood, Dr. Howard, 1964 American Academy of Allergy distinguished service award, 286
Oxytetracycline, photosensitivity to, *3* (Abst.)

P

Pancreatic lesions in inbred mice produced by Freund's adjuvant, *71* (Abst.)
Pantothenic acid, pyridoxine, or riboflavin, relationship of specific deficiencies in, to antibody production in swine, *12* (Abst.)
Papilledema, encephalopathy and, after bee sting, *80* (Abst.)
Parathyroid hormone, bovine, immunochemical studies, *90* (Abst.)
Paroxysm, asthmatic, angioneumographic study during, *82* (Abst.)
Passively transferred delayed hypersensitivity, histology, in human organ transplantation (Rowlands et al.), 242
Patch testing with bithional, need for caution, *21* (Abst.)
Pathology, pharmacology, and physiology, *7, 24, 38, 54, 70, 86* (Absts.)
Penicillamine therapy of Wilson's disease, nephrotic syndrome associated with, *54* (Abst.)
Penicillin allergy, indirect basophil degranulation test in, *69* (Abst.)
antigenic specificities of skin-sensitizing antibodies in sera from patients with immediate systemic allergic reactions to (Siegel and Levine), 488
brain damage due to, *23* (Abst.)
immunologic responsiveness of man to, *30* (Abst.)
hypersensitivity detection with penicilloyl-polylysine, *39* (Abst.)
human and experimental, specificity of hemagglutination reactions (Thiel, Mitchell, and Parker), 399
sensitivity, penicilloyl-polylysine as intradermal test, *85* (Abst.)
subacute bacterial endocarditis in patients allergic to: possible immunologic mechanisms, *68* (Abst.)
Penicilloyl-polylysine, detection of penicillin hypersensitivity with, *39* (Abst.)
as intradermal test of penicillin sensitivity, *85* (Abst.)
Pennypacker, Charles S., obituary, 476
Pentadecylcatechol, synthetic, comparison of potency of poison ivy extracts with, in sensitive humans (Auerbach and Baer), 201

Peripheral blood, lymphocyte preparations, transfer of delayed hypersensitivity in man by, *73* (Abst.)
lymphocytes from, mitosis-stimulating effect of tuberculin on (Aspegren and Rorsman), 433
in vitro, human, immune response and mitosis, *74* (Abst.)
Pernicious anemia patients, reactions of experimentally produced antisera to intrinsic factor and of sera from, *78* (Abst.)
Pharmacology, physiology, and pathology, *7, 24, 38, 54, 70, 86* (Absts.)
Phenothiazines, adverse reactions to, *85* (Abst.)
L-Phenylalanine, inhibition of antibody synthesis by, *58* (Abst.)
Phenylbutazone hypersensitivity, sarcoid reaction associated with, *6* (Abst.)
Phosphate esters, acid-soluble, in lesions of eczema and psoriasis, fractionation, *52* (Abst.)
Phosphorus, distribution in lesions of eczema, psoriasis, and seborrheic dermatitis, *57* (Abst.)
Photodermatitis, contact, from bithionol, *4* (Abst.)
Photosensitivity, nail discoloration, and onycholysis with tetracycline, *4* (Abst.)
to oxytetracycline, *3* (Abst.)
Physiologic benefits of "thermo fog" as bronchodilator vehicle, acute ventilation responses, *34* (Abst.)
Physiology, pharmacology, and pathology, *7, 24, 38, 54, 70, 86* (Absts.)
Plaque, antibody, formation, inhibition by sensitized lymphoid cells: rapid indicator of transplantation immunity, *92* (Abst.)
Plasma cells in newborn hamsters, relationship between antibody formation and appearance of, *13* (Abst.)
Plasma-cell neoplasms, induction in strain BALB/c mice with mineral oil and mineral oil adjuvants, *45* (Abst.)
Plasmacytosis, peripheral, in serum sickness, *6* (Abst.)
Plastic film, occlusive, application of topical steroids under, adrenal function after, *39* (Abst.)
Pleural effusion, eosinophilic, *88* (Abst.)
Pleuropulmonary reaction to nitrofurantoin, *85* (Abst.)
Poison ivy extracts, attempts to hyposensitize with, *67* (Abst.)
potency, comparison with pentadecylcatechol in sensitive humans (Auerbach and Baer), 201
Poisoning, diphenhydramine, treated by exchange transfusion, *46* (Abst.)
Pollen fraction, ragweed, I^{131}-labeled, specific binding by sera of untreated ragweed-sensitive humans, 289
grass, extract, alteration in activity, *82* (Abst.)
and mold, atmospheric, survey, Providence, Rhode Island, 1949 to 1956 (Chafee and Settipane), 193
ragweed characterization of dialyzable constituents of aqueous extract of (Meacock et al.), 43
purified fractions (Reisman et al.), 227
variations in exposure in metropolitan area, *34* (Abst.)
wettability as factor in washout by raindrops, *51* (Abst.)
Pollinosis, emulsion therapy of, untoward reactions to, *50* (Abst.)
hyposensitization therapy for, including repository (Arbesman and Reisman), 12
mountain cedar, repository emulsion therapy for (Miller et al.), 7
ragweed, repository therapy, *66* (Abst.)
small-dose emulsion treatment, double-blind study continued for three seasons (Dworetzky and Isaacs), 438
Pollutants, atmospheric, effect on susceptibility to respiratory infection, *46* (Abst.)
Polyvinyl chloride resins, hypersensitivity to epoxy resins used as plasticizers and stabilizers in, *36* (Abst.)
Potassium iodide, asthma-suppressive action (Siegal), 252
Prausnitz-Küstner reaction, shift in dose response curve by direct suggestion under hypnosis, *64* (Abst.)
Precipitin and hemagglutination technique, lack of correlation of antibody titers as determined by, *74* (Abst.)
Pregnancy, fetal effects of steroid therapy during, *28* (Abst.)
insulin antibodies in, *60* (Abst.)
Prostate, allergic granulomas, in asthmatics, *67* (Abst.)

Protease, higher susceptibility to thiol compounds of, in healing sites of Arthus-type inflammation and its biological significance, *26* (Abst.)
Protein metabolism in exfoliative dermatitis and erythroderma, *57* (Abst.)
serum, change, in response to positive tuberculin skin test, *61* (Abst.)
Proteins, cow's milk, serologic reactions to gluten and, in gastrointestinal disease, *77* (Abst.)
dinitrophenylated, immunologic specificity of secondary response with, *89* (Abst.)
milk, and milk, allergenic properties of, study in anaphylaxis in guinea pigs, *14* (Abst.)
purified, skin testing with, for milk allergy, *37* (Abst.)
serum, in sputum of patient with asthma (Dennis, Hornbrook, and Ishizaka), 464
Psoriasis and eczema, lesions, fractionation of acid-soluble phosphate esters in, *52* (Abst.)
and seborrheic dermatitis, phosphorus distribution in lesions, *57* (Abst.)
Pulmonary diffusing capacity in children with intractable asthma with and without chronic hyperinflation of lungs (Pecora and Bernstein), 479
disease, chronic obstructive, mechanics of breathing in, *27* (Abst.)
emphysema, evaluation of tracheostomy in, *26* (Abst.)
function in farmer's lung, *38* (Abst.)
infiltration, allergic, due to nitrofurantoin, *53* (Abst.)
Purified fractions of ragweed pollen (Reisman et al.), 227
Purpura, nonthrombocytopenic, due to carbromal ingestion, *86* (Abst.)
thrombocytopenic, due to *Lupinus termis* bean (Lavy), 386
Purpuras, hypersensitivity, *59* (Abst.)
Pyribenzamine, tripelennamine, drug reactions following urethral instillation, *71* (Abst.)
Pyridine complex, alum-precipitated, questions regarding (Naterman), 93; reply (Strauss), 94 (Corr.)
Pyridoxine, pantothenic acid, or riboflavin in relationship of specific deficiencies in, to antibody production in swine, *12* (Abst.)

R

Ragweed antigen, I^{131}-labeled, binding by sera of ragweed-sensitive individuals (Pruzansky and Patterson), 1
emulsion injections, aqueous ragweed injections, or no injection treatment, relationship of hay fever symptoms to skin-sensitizing antibody titer in patients treated with (Connell and Sherman), 18
extracts, emulsions of, effects of treatment with, on antibody titers, *2* (Abst.)
fraction, purified, dwarf, hyposensitization studies with, *3* (Abst.)
injections, aqueous, ragweed emulsion injections, or no injection treatment, relationship of hay fever symptoms to skin-sensitizing antibody titer in patients treated with (Connell and Sherman), 18
pollen characterization of dialyzable constituents of aqueous extracts of (Meacock et al.), 43
fraction, I^{131}-labeled, specific binding by sera of untreated ragweed-sensitive humans (Lidd and Connell), 289
purified fractions (Reisman et al.), 227
variations in exposure in metropolitan area, *34* (Abst.)
pollinosis, repository therapy, *66* (Abst.)
small-dose emulsion treatment, double-blind study continued for three seasons (Dworetzky and Isaacs), 438
Ragweed-sensitive humans, binding of I^{131}-labeled ragweed antigen by sera of (Pruzansky and Patterson), 1
untreated, specific binding of I^{131}-labeled ragweed pollen fraction by sera (Lidd and Connell), 289
Raindrop washout, pollen wettability as factor in, *51* (Abst.)
Reaction, immediate skin wheal, effect of tranquilizers on (Wolfe and Fontana), 271
pattern, specific nuclear, of antibody to DNA, in lupus erythematosus sera, *61* (Abst.)
Reagin and gamma-1A globulin, relationship in cord sera (Allansmith and Buell), 339
in saliva, presence of (Ishizaka et al.), 143

Reagin—Cont'd
human, demonstration in monkey skin (Rose et al.), 520
ileum (Arbesman et al.), 535
Reagin-allergen reaction in skin without concomitant wheal and flare (Richter, Delorme, and Rose), 356
Repository emulsion therapy for mountain cedar pollinosis (Miller et al.), 7
therapy, hyposensitization therapy including (Arbesman and Reisman), 12
of ragweed pollinosis, *66* (Abst.)
some untoward reactions to (McLean et al.), 52
Research Council activities of American Academy of Allergy, 1963-1964 (Cohen), 472
Resins, polyvinyl chloride, hypersensitivity to epoxy resins used as plasticizers and stabilizers in, *36* (Abst.)
Respiratory allergic patients, effect of corticotropin and cortisol on urinary excretion of metabolites of serotonin (5-HIAA) in normal subjects and, *66* (Abst.)
and normal subjects, urinary determination of 5-hydroxy-indoleacetic acid, catabolite of serotonin, in, *2* (Abst.)
infection, susceptibility to, effect of atmospheric pollutants on, *46* (Abst.)
viral, and exacerbation of asthma, ciliocytophthoria (CCP) in asthmatic children with references to (Kim et al.), 159
tract, lower, clearance of bacteria by, *25* (Abst.)
Riboflavin, pantothenic acid, or pyridoxine in relationship of specific deficiencies to antibody production in swine, *12* (Abst.)
Riley, William Kirk, obituary, 478
RNA from immunized mice, antibody production by nonimmune spleen cells incubated with, *73* (Abst.)

S

Safflower: utilization and significance in nutrition and allergy (Goodman), 38
Saliva, presence of reagin and γ_{1A}-globulin in (Ishizaka et al.), 143
Saran wrap, contact dermatitis caused by, *68* (Abst.)
Sarcoid reaction associated with phenylbutazone hypersensitivity, *6* (Abst.)
Scurf, deer, sensitivity to, *24* (Abst.)
Seborrheic dermatitis, eczema, and psoriasis, phosphorus distribution in lesions, *57* (Abst.)
Sedation, role in death in status asthmaticus, *51* (Abst.)
Sensitivity, contact, passive transfer of, by tritiated thymidine–labeled lymphoid cells, *9* (Abst.)
to ferritin, delayed, electron microscopic study, *63* (Abst.)
Sensitization, passive, of monkey ileum with sera of untreated atopic patients, (Arbesman et al.), 535
of monkey skin with sera of untreated atopic patients (Rose et al.), 520
with simple chemical compounds, immunologic unresponsiveness to, antibody absorbing allergen depots, *60* (Abst.)
Sera, cord, relationship of gamma-1A globulin and reagin in (Allansmith and Buell), 339
detection of antibody-like globulin in, with unstable complexes of I^{125}-labeled house dust (Reed), 274
of food-sensitive and normal children, significance of food antigen precipitins in, *12* (Abst.)
lupus erythematosus, specific nuclear reaction pattern of antibody to DNA in, *61* (Abst.)
from patients with immediate systemic allergic reactions to penicillin, antigenic specificities of skin-sensitizing antibodies in (Siegel and Levine), 488
with myasthenia gravis, tanned-celled hemagglutination test for detection of antibodies in, *75* (Abst.)
from pernicious anemia patients, reactions to intrinsic factor, *78* (Abst.)
of ragweed-sensitive individuals, binding of I^{131}-labeled ragweed antigen by, (Pruzansky and Patterson), 1
of untreated atopic patients, passive sensitization of monkey skin with (Rose et al.), 520
in vitro passive sensitization of monkey ileum with (Arbesman et al.), 535

Serologic reactions to gluten and cow's milk proteins in gastrointestinal disease, *77* (Abst.)
Serotonin, catabolite of, 5-hydroxy-indoleacetic acid, urinary determination in normal subjects and respiratory allergic patients, determination of, *2* (Abst.)
histamine, and passively induced anaphylaxis, effect of BCG infection on sensitivity of mice to, *93* (Abst.)
(5-HIAA), metabolites, effect of corticotropin and cortisol on urinary excretion in normal subjects and respiratory allergic patients, *66* (Abst.)
Serum electrophoretic patterns in vernal conjunctivitis, *69* (Abst.)
enzymes in patients with asthma and emphysema, *82* (Abst.)
protein change in response to positive tuberculin skin test, *61* (Abst.)
proteins in sputum of patient with asthma (Dennis, Hornbrook, and Ishizaka), 464
sickness, peripheral plasmacytosis in, *6* (Abst.)
Sesame seed, hypersensitivity to (Torsney), 514
Shwartzman and Arthus reactions, possible role of leukocyte granules in, *42* (Abst.)
phenomenon in colon of rabbits, effects of epinephrine, norepinephrine, and mecholyl on, *24* (Abst.)
and immunologic phenomena associated with endotoxins, effect of acetylated endotoxin of diminished toxicity on, *56* (Abst.)
reaction, generalized, effects of trypan blue on formation of thrombi in, *8* (Abst.)
Skin, gamma-2 globulin in (Allansmith, Goihman-Yahr, and Buell), 313
histamine in urticaria, *36* (Abst.)
human, evidence of autoimmunity to, in infantile eczema, *20* (Abst.)
hypersensitive vasculitis, *36* (Abst.)
lesions, associated with chronic meningococcemia, further comments on pathogenesis, *71* (Abst.)
monkey, passive sensitization with sera of untreated atopic patients (Rose et al.), 520
Skin—Cont'd
reagin-allergen reaction in, without concomitant wheal and flare (Richter, Delorme, and Rose), 356
test, intracutaneous, relationship of skin-sensitizing antibody titer to tolerance of injections of antigens, to effect of prolonged treatment with antigen, and to (Connell and Sherman), 169
positive tuberculin, serum protein change in response to, *61* (Abst.)
testing, diagnostic, for histoplasmosis, effect on antibody levels, *11* (Abst.)
with purified milk proteins for milk allergy, *37* (Abst.)
tests, specificity of (Josephson) 88; (Tuft) 89; reply (Fontana et al.), 91 (Corr.)
wheal, immediate, effect of tranquilizers on (Wolfe and Fontana), 271
window technique, study of cellular responses in immune reactions utilizing (Eidenger et al.), 77
Skin-sensitizing antibody and β_{2A}-globulin, gel filtration (Terr and Bentz), 206
titer to intracutaneous skin test, to tolerance of injections of antigens, and to effects of prolonged treatment with antigen, relationship (Connell and Sherman), 169
in patients treated with ragweed emulsion injections, aqueous ragweed injections, or no injection treatment, relationship of hay fever symptoms to (Connell and Sherman), 18
Smooth muscle stimulating activity of histamine, acetylcholine, 5-hydroxytryptamine, anaphylactic slow-reacting substance, and bradykinin, effect of lysolecithin on, *54* (Abst.)
Sodium and chloride, sweat, elevated in adult without cystic fibrosis, *27* (Abst.)
Specificity of hemagglutination reactions in human and experimental penicillin hypersensitivity (Theil, Mitchell, and Parker), 399
of skin tests (Josephson) 88; (Tuft) 89; reply (Fontana et al.), 91 (Corr.)
Spleen cells, mouse, persistence of antigen in nucleoprotein fractions during antibody formation, *30* (Abst.)

Spleen cells—Cont'd
nonimmune, incubated with RNA from immunized mice, antibody production by, *73* (Abst.)
Spleens, sensitized mouse, isolation of immunologically competent lymphocytes from, *90* (Abst.)
Spore, fungus, content of atmosphere, year to year variation in, *67* (Abst.)
Sprue, nontropical, circulating antibodies to gluten and milk fractions in, *56* (Abst.)
Sputum, asthmatic, interference with tryptic digestion by, *18* (Abst.)
bronchial, experimental asthma of guinea pig induced by, *18* (Abst.)
of patients with asthma, serum proteins in (Dennis, Hornbrook, and Ishizaka), 464
Stanozolol, anabolic effects of, *27* (Abst.)
Status asthmaticus, death in, role of sedation, *51* (Abst.)
Steroid inhalation, aerosol, adrenal suppression by, *70* (Abst.)
therapy, adrenal, in insulin resistance, *55* (Abst.)
during pregnancy, fetal effects of, *28* (Abst.)
Steroids, effect in obstructive airway disease, controlled trial of, *88* (Abst.)
prolonged high doses, thyrotoxicosis in two patients on, *72* (Abst.)
topical, application under occlusive plastic film, adrenal function after, *39* (Abst.)
Stevens-Johnson syndrome, hypersensitivity reaction in spectrum of lupus erythematosus, *37* (Abst.)
Sting, bee, encephalopathy and papilledema after, *80* (Abst.)
wasp, death from, *93* (Abst.)
Stings, wasp, fatal anaphylactic reactions to, review, *32* (Abst.)
Stinging insects, allergic response to: preparation of extracts and their biochemical characterization (Shulman, Langlois, and Arbesman), 446
Streptococci, group A, homograft sensitivity induction by, *91* (Abst.)
Sulfobromophthalein (BSP), fatal anaphylactic reaction of, *23* (Abst.)
Suppressive action of potassium iodide in asthma (Siegal), 252
Sweat sodium and chloride, elevated, in adult without cystic fibrosis, *27* (Abst.)
Swine, relationship of deficiencies in pantothenic acid, pyridoxine, or riboflavin to antibody production in, *12* (Abst.)
Syndrome, new cutaneous, in subacute bacterial endocarditis, *83* (Abst.)
Stevens-Johnson, hypersensitivity reaction in spectrum of lupus erythematosus, *37* (Abst.)
Systemic anaphylaxis in man, fatal, *79* (Abst.)

T

Tanned-cell hemagglutination test for detection of antibodies in sera of patients with myasthenia gravis, *75* (Abst.)
Termis bean, Lupinus, thrombocytopenic purpura due to (Lavy), 386
Testis, contralateral, injury to, and injection of adjuvant, "autoimmune" testicular lesions induced by, *43* (Abst.)
Tetanus antitoxin, intradermal test, anaphylactoid reaction after, *44* (Abst.)
Tetracycline, photosensitivity, nail discoloration, and onycholysis with, *4* (Abst.)
Textile dermatitis, formalin, *52* (Abst.)
Textile-finish contact hypersensitivity, *83* (Abst.)
"Thermo fog," physiologic benefits as bronchodilator vehicle, acute ventilation responses, *34* (Abst.)
β-3-thienylalanine, effect on antibody synthesis, *89* (Abst.)
Thiol compounds of a protease, higher susceptibility to, in healing sites of Arthus-type inflammation and its biological significance, *26* (Abst.)
Thiram fungicide, golf-course dermatitis due to, *53* (Abst.)
Thrombi, formation in generalized Shwartzman reaction, effects of trypan blue on, *8* (Abst.)
Thrombocytopenic purpura due to *Lupinus termis* bean (Lavy), 386
Thromboembolic phenomena in ulcerative colitis, *77* (Abst.)
Thymectomy, effect on termination of immunological tolerance in rabbits, *72* (Abst.)

Thymidine-labeled lymphoid cells, passive transfer of contact sensitivity by, *9* (Abst.)
Thyroiditis, autoimmune, *45* (Abst.)
Thyrotoxicosis in two patients on prolonged high doses of steroids, *72* (Abst.)
Titer, skin-sensitizing antibody, relationship to intracutaneous skin test, to tolerance of injections of antigens, and to effects of prolonged treatment with antigen (Connell and Sherman), 169
Titers, antibody, as determined by precipitin and hemagglutination technique, lack of correlation, *74* (Abst.)
Tobacco allergy in coronary artery disease, *85* (Abst.)
Tolerance, immunological, in rabbits, effect of thymectomy on termination, *72* (Abst.)
Toluene diisocyanate asthma, *3* (Abst.)
Topical steroids, application under occlusive plastic film, adrenal function after, *39* (Abst.)
use of antibiotics, *20* (Abst.)
Trachea, collapsible, non-allergic cause of wheezing in infancy, *66* (Abst.)
Tracheobronchial washings, normal, immunoglobulins in, *58* (Abst.)
Tracheostomy in pulmonary emphysema, evaluation of, *26* (Abst.)
Tranquilizers, effect on immediate skin wheal reaction (Wolfe and Fontana), 271
Transfusion, exchange, diphenhydramine poisoning treated by, *46* (Abst.)
Transplacental passage of antinuclear antibody, *44* (Abst.)
Transplantation of human organs, immunologic studies, histology of passively transferred delayed hypersensitivity (Rowlands et al.), 242
immunity, inhibition of antibody plaque formation by sensitized lymphoid cells, rapid indicator of, *92* (Abst.)
Tripelennamine (Pyribenzamine), drug reactions following urethral instillation, *71* (Abst.)
Tritiated thymidine–labeled lymphoid cells, passive transfer of contact sensitivity by, *9* (Abst.)
Trypan blue, effects on formation of thrombi in generalized Shwartzman reaction, *8* (Abst.)
Trypsin, allergy to (Criep and Beam), 425
Tryptic digestion, interference with, by asthmatic sputum, *18* (Abst.)
Tuberculin, mitosis-stimulating effect on lymphocytes from peripheral blood (Aspegren and Rorsman), 433
skin test, positive, serum protein change in response to, *61* (Abst.)
Twins, identical, Hashimoto's disease in, *47* (Abst.)

U

Ulcerative colitis, milk and, *79* (Abst.)
thromboembolic phenomena in, *77* (Abst.)
Unstable complexes of I^{125}-labeled house dust in detection of antibody-like globulin in sera (Reed), 274
Urethane and sublethal x-radiation, effect on homograft reaction in mice, *12* (Abst.)
Urethral instillation of tripelennamine (Pyribenzamine), drug reactions following, *71* (Abst.)
Urinary determination of 5-hydroxy-indoleacetic acid, catabolite of serotonin, in normal subjects and respiratory allergic patients, *2* (Abst.)
excretion of metabolites of serotonin (5-HIAA) in normal subjects and respiratory allergic patients, effect of corticotropin and cortisol on, *66* (Abst.)
Urticaria, chronic, anthrax in patient with (Fishman), 383
flushing, and headaches, menthol hypersensitivity—diagnostic basophil reponse in patient with, *84* (Abst.)
skin histamine in, *36* (Abst.)

V

Vaccine therapy in recurrent herpes simplex, *91* (Abst.)
Vascular reactions, abnormal, in atopic eczema, *21* (Abst.)
Vasculitis, hypersensitive, of skin, *36* (Abst.)
Venom collection from honey bees, *80* (Abst.)
Vernal conjunctivitis, serum electrophoretic patterns in, *69* (Abst.)
Viral respiratory infection and exacerbation of asthma, ciliocytophthoria (CCP) in asthmatic children, with references to (Kim et al.), 159

W

Wasp sting, death from, *93* (Abst.)
stings, fatal anaphylactic reactions to, review, *32* (Abst.)
Wettability of pollen as factor in washout by raindrops, *51* (Abst.)
Wheal, skin, immediate reaction, effect of tranquilizers on (Wolfe and Fontana), 271
Wheezing in infancy, collapsible trachea nonallergic cause, *66* (Abst.)
Wilson, Albert C., obituary, 191
Wilson's disease, penicillamine therapy of, nephrotic syndrome associated with, *54* (Abst.)

X

X-irradiated rabbits, adult, lengthened induction period or immunologic unresponsiveness depending on antigen dose in, *10* (Abst.)
X-radiation, sublethal, and urethane, effect on homograft reaction in mice, *12* (Abst.)
X-ray lymphopenia, effect on contact dermatitis; failure of whole-body x-irradiation to inhibit delayed hypersensitivity challenge response, *35* (Abst.)